



Crazy Hen

M101



Item no. M10170-01P	
General Product Information	
Dimensions LxWxH	36x94x77 cm
Age group	1+
Play capacity (users)	1
Colour options	 



The Crazy Hen was a token for play for 50 years: the whimsical bird-look evokes children's curiosity. The rocking sensation make them want to come back again and again. Movement response is one of the greatest play sensations there are. Apart from the fun, this adds a feeling of control to the child's play. The responsive movement also trains the understanding of


cause and effect in young children: that actions have an effect on the world. Rocking on the Crazy Hen trains the child's sense of balance and space as well as hand and arm muscles when holding tight and pushing your feet hard into the foot support. All of these basic motor skills and muscle training actions help train the child's bodily cognition, supporting important life

skills such as being able to sit still on a chair or navigate traffic securely. nixa




Crazy Hen

M101



Crazy Hen

M101



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



Handles and foot rests are made of high-quality nylon (PA6), which requires low maintenance.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ panels of 100% post consumer recycled ocean waste.

Item no. M10170-01P	
Installation Information	
Max. fall height	60 cm
Safety surfacing area	7,4 m ²
Number of installers	2
Total installation time	2,3
Excavation volume	0,19 m ³
Concrete volume	0,00 m ³
Footing depth (standard)	45 cm
Shipment weight	30 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
EcoCore HDPE	Lifetime
Springs	5 years
Handle	10 years
Spare parts guaranteed	10 years






Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M10170-01P	66,29	2,48	45,47
M10176-01P	63,31	2,37	49,25

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Validation of CO₂ calculation of: Challengers & Climbers



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Challengers & Climbers" represented by item no.: BLX410301-3717.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Crazy Hen


M101

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M10176
*60cm
**77cm
***7.4m²



M10176P
1:100

[Click to see 1:100 ratio TOP VIEW](#)

[Click to see 1:100 ratio SIDE VIEW](#)