BLOQX 4


BLX4104



455x300x300 cm

8+

22



Item no. BLX410401-3717

General Product Information

Dimensions LxWxH

Play capacity (users)

Age group

Colour options

The iconic, geometric shaped blocks encourages climbing and meeting particularly for teenagers and older children. With its sculptural look and professional climbing grips, BLOQX™ invites scalable climbing challenges and games. The design allows room for socializing and exchange with its ridges and valleys. The possibility of climbing, crawling and

balancing at your own speed makes the BLOQX™ a safe option for children at different climbing levels: The creation of new climbing routes and methods with friends or individually makes for hours of thrill and climbing play. The varied grip and panel positions help to develop muscle strength and motor skills: cross-body coordination, proprioception and spatial

awareness, having a positive impact on concentration skills and social-emotional skills such as consideration, which is used when children climb and meet together on the BLOQX™.







Inclined panels

Physical: sense of balance when seated for breaks, and proprioception. Bone density when jumping down. Bone density is built up in youth to last the rest of your life.

Social-emotional: meeting points from where to help other children. Turn-taking and helping out are common activities on the BLOQXTM.





Meeting point

Physical: sense of balance when seated for breaks on an inclined surface.

Social-emotional: socializing, turn-taking, consideration of others.



Climbing grips grid

Cognitive: logical thinking when figuring out routes and memorizing position of grips you can't see when climbing.



Climbing grips

Physical: dexterity and cross-body coordination, sense of space, all important in navigating the body in space. Pushing, pulling and using fingers, arms, legs and core, strengthen the muscles.







Multiple climbing blocks

Physical: develop sense of balance, proprioception and spatial awareness. Heavy duty training of arm, leg and core muscles when climbing longer. More points for strengthening bone density when jumping down.

Social-emotional: cooperation, consideration, turn-taking, risk-taking, self-confidence when self-regulating and helping others.

Cognitive: logical thinking when figuring out longer routes.

BLOQX 4

BLX4104





High pressure moulded PP climbing panels with excellent impact strength and usable within a large temperature span. The outside surface has an integrated pattern and surface texture that is dirt repellent.



Die-casted corner brackets of high quality lead free aluminium. The corner brackets have nicely rounded edges and counters unk stainless steel screws. For sunny environments the corner brackest can be supplied with optional powder coating which reduced the heat absorption of the brackets.



Climbing Grips are KOMPAN customized design, based on professionally designed climbing grips for optimal play value. The base material is polyester. There are two colours of climbing grips (green & black) and three on each panel. They are rotation secured by a steel pin.



Installation Information Max. fall height 300 cm Safety surfacing area 39,7 m2 **Number of installers** Total installation time 27.8 Excavation volume 1,64 m3 Concrete volume 0,45 m3 Footing depth (standard) 90 cm 640 kg **Shipment weight** Anchoring options In-ground Surface

Item no. BLX410401-3717

Warranty Information


Climbing panels (PP) 10 years Corner brackets 10 years 10 years Climbing grips Hot dip galvanised steel Lifetime Spare parts guaranteed 10 years



The cubes are supported by a unique designed footing system that secures the correct positioning of the cubes.



To ensure maximum safetyin all weather conditions a non-skid safety plate is located when climbing down from the elevated cube. Further, a number of the top corner brackets are covered with soft PUR.




Greenline Blogx products are built of molded PP panels which consist of 75% recycled post consumer ocean waste and 25% virgin material. The panels are designed with a unique pattern that provides a non-skid surface texture. GreenLine ensures the lowest possible CO2e emission factor.



Sustainability





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
BLX410401-3717	1.502,23	3,47	9,72
BLX410403-3717	861,94	1,99	60,38

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO₂ calculation of: Challengers & Climbers



Data version no. 2021-09-27

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Challengers & Climbers" represented by item no.: BLX410301-3717.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bootsil

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of ${\rm CO_2}$ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



BLX4104



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

